

Expanded View Figures




Figure EV1. Investigation of protein expression and localization.

A, B Western immunoblots for phosphorylated pyruvate dehydrogenase at pS293 (PDH; $n = 6$, each replicate consists of a pool of 3–4 EHTs from 2 different separate batches), AMP-dependent protein kinase at Thr172 (AMPK; $n = 6$, each replicate consists of a pool of 3–4 EHTs from 2 different separate batches), galectin-3 ($n = 3$; each replicate consists of a pool of 3–4 EHTs from 2 different separate batches), SAFB-like transcription modulator (SLTM; $n = 3$; each replicate consists of a pool of 3–4 EHTs from 2 different separate batches), LIM and cysteine-rich domains 1 (LMCD1; $n = 3$; each replicate consists of a pool of 3–4 EHTs from 2 different separate batches), calnexin ($n = 6$; each replicate consists of a pool of 3–4 EHTs from 2 different separate batches), and reticulocalbin-3 (RCN-3; $n = 3$; each replicate consists of a pool of 3–4 EHTs from 2 different separate batches); Coomassie staining was used as a loading control, mean \pm SEM, unpaired two-sided Student's t -test, $*P < 0.05$.

C Immunofluorescence of 2D hiPSC-CM from PLN^{Nic} and PLN^{p.Arg14del} with antibodies recognizing calnexin (green), α -actinin (red), and DAPI staining for nuclei (blue); scale bar 20 μ m.

Source data are available online for this figure.




Figure EV2. Investigation of protein–protein interaction.

A, B Proximity ligation assays (PLAs; yellow) combining an anti-VDAC1 (localizing to the outer mitochondrial membrane) and an IP₃R-antibody (localizing to the ER) and DAPI staining of nuclei (blue) at baseline and after thapsigargin (1.0 μ M, 5 h) exposure for PLNic (A) and PLN p.Arg14del (B) after transduction with control, GCaMP6f, or parvalbumin virus.

C Negative control: Anti-mouse, anti-rabbit antibodies alone. Scale bar 20 μ m.




Figure EV3. Transmission electron microscopy.

A–F Transmission electron microscopy of PLNic and PLN p.Arg14del EHTs after transduction with control, GCaMP6f, or parvalbumin virus; mf: myofilaments, z: Z-line, rib: ribosome, m: mitochondria, rER: rough endoplasmic reticulum, dER: dilated endoplasmic reticulum, and G: golgi. Scale bar 500 nm.